



Additional assembly notes for the cover and center nozzle for the instrument panel as of model year 2002

Removing cover and center nozzle for the instrument panel




1. Removing cover and center nozzle

- a. Insert a plastic spatula into the side of the cover **-1-** and press out.
- b. Insert the second plate of the center nozzle into the metal clip **-3-** using a small screwdriver **-2-**. Press and hold screwdriver upwards in the direction of arrow and simultaneously pull out the center nozzle **-2-** with the cover **-1-**.



2. Removing frame


Unscrew fastening screws **-3-** from the frame **-4-**.



3. Unclipping the cover
from the center nozzle

Push in locking tab on the cover –1– using a screwdriver. Pull out center nozzle –2– .


Removing holder



1. Removing
holder

Unscrew fastening screws –1– from the holder –A or B– .

Installing holder



1. Installing holder

Position the holder –A– on the instrument panel and secure with the fastening screws –1– .


Installing cover and center nozzle for the instrument panel



CAUTION


Danger of material damage to finished covers!

- The control switches must be correctly mounted before the cover is fitted.
- Particular care is required when clipping in finished covers.
- The finished covers of the Exclusive / or Tequipment range (carbon–fibre composite, light/dark wood) could be damaged as a result.




1. Clipping in the center nozzle

Connect the cover –1– with the center nozzle –2– . Ensure that the locking tab is engaged on the left and right side.



2. Installing frame

- a. Position the frame –5– on the instrument panel and secure with the fastening screws –3– .



3. Installing cover and center nozzle

- b. Push the cover –1– with the center nozzle –2– into the instrument panel, ensuring that the clips are engaged at the top and the locking tabs at the side.

996420, 996421, 996450, 996451, 996840, 996841, 996430, 996431