

RPM	Engine load	Ignition angle	O2 1 Lambda	2 Nos 2 Lambda	Boost pressure	AFR 1	AFR 2
2450	103.27	22.5	0.96	0.97	1135.16	12.7008	12.8331
2502	104.72	23.25	0.97	0.98	1150.94	12.8331	12.9654
2542	106.41	24	0.98	0.97	1167.11	12.9654	12.8331
2588	108.47	22.5	0.97	0.97	1184.41	12.8331	12.8331
2632	111.07	23.25	0.98	0.97	1200	12.9654	12.8331
2667	113.63	22.5	0.98	0.97	1217.38	12.9654	12.8331
2711	116.13	21.75	0.96	0.96	1236.33	12.7008	12.7008
2756	118.57	21	0.96	0.95	1254.49	12.7008	12.5685
2793	120.77	20.25	0.95	0.95	1277.81	12.5685	12.5685
2835	123.52	19.5	0.97	0.97	1299.77	12.8331	12.8331
2894	125.39	19.5	0.96	0.97	1327.03	12.7008	12.8331
2950	129.38	18	0.98	0.97	1359.49	12.9654	12.8331
2977	132.8	17.25	0.97	0.98	1384.45	12.8331	12.9654
3008	136.45	16.5	0.96	0.97	1417.42	12.7008	12.8331
3107	140.11	15.75	0.97	0.97	1455.27	12.8331	12.8331
3141	143.51	15	0.94	0.95	1491.05	12.4362	12.5685
3203	148.08	15	0.92	0.91	1532.73	12.1716	12.0393
3271	151.41	14.25	0.88	0.87	1572.73	11.6424	11.5101
3330	155.04	15	0.85	0.84	1609.88	11.2455	11.1132
3385	161.25	14.25	0.81	0.82	1655.31	10.7163	10.8486
3456	166.45	14.25	0.78	0.79	1702.42	10.3194	10.4517
3525	172.05	13.5	0.75	0.76	1760.08	9.9225	10.0548
3612	178.03	12.75	0.75	0.75	1812.3	9.9225	9.9225
3677	184.45	12	0.75	0.75	1867.42	9.9225	9.9225
3762	191.02	11.25	0.73	0.73	1915.43	9.6579	9.6579
3830	197.84	11.25	0.73	0.73	1960.16	9.6579	9.6579
3896	202.78	10.5	0.73	0.73	1997.23	9.6579	9.6579
3966	208.88	9.75	0.73	0.73	2043.75	9.6579	9.6579
4061	211.83	9.75	0.73	0.73	2079.65	9.6579	9.6579
4127	217.24	9.75	0.73	0.73	2103.48	9.6579	9.6579
4208	223.05	9.75	0.73	0.73	2143.24	9.6579	9.6579
4285	224.37	8.25	0.73	0.73	2190.04	9.6579	9.6579
4359	222.63	7.5	0.73	0.73	2221.02	9.6579	9.6579
4442	221.02	11.25	0.76	0.74	2239.49	10.0548	9.7902
4548	218.04	9.75	0.76	0.77	2218.4	10.0548	10.1871
4632	215.58	12	0.76	0.76	2223.67	10.0548	10.0548
4667	213.3	11.25	0.8	0.78	2202.54	10.584	10.3194
4808	208.95	11.25	0.8	0.78	2194.61	10.584	10.3194
4889	205.99	12.75	0.82	0.8	2157.62	10.8486	10.584
4973	202.03	14.25	0.82	0.8	2147.03	10.8486	10.584
5045	196.76	14.25	0.82	0.8	2119.61	10.8486	10.584
5074	192.84	15	0.84	0.81	2125.04	11.1132	10.7163
5237	188.46	15.75	0.82	0.8	2119.73	10.8486	10.584
5294	184.62	15.75	0.81	0.82	2117.5	10.7163	10.8486
5355	180.68	15	0.84	0.81	2114.26	11.1132	10.7163
5419	178.85	13.5	0.84	0.8	2110.63	11.1132	10.584
5458	177.56	15	0.83	0.83	2104.3	10.9809	10.9809
5572	174.68	18.75	0.82	0.81	2094.88	10.8486	10.7163
5654	171.54	18.75	0.84	0.81	2090.7	11.1132	10.7163
5716	171.4	18.75	0.84	0.82	2075.39	11.1132	10.8486
5700	166.92	3.75	0.84	0.82	2094.22	11.1132	10.8486
5754	145.73	3.75	0.86	0.86	2210.43	11.3778	11.3778
5455	31.24	8.25	3.65	3.28	1819.49	48.2895	43.3944
5165	19.08	12.75	4.5	3.84	1734.96	59.535	50.8032

4860	15.07	20.25	4	3.35	1431.17	52.92	44.3205
4585	14.67	21.75	4.3	3.67	1431.17	56.889	48.5541
4299	15.61	20.25	5	4.47	1341.37	66.15	59.1381
4343	15.52	20.25	5	5	1277.97	66.15	66.15
4482	14.44	21.75	5	5	1225.12	66.15	66.15
4491	14.7	21.75	5	5	1190.78	66.15	66.15
4455	15.26	20.25	5	5	1161.72	66.15	66.15
4439	15.45	20.25	5	5	1135.31	66.15	66.15
4415	15.45	20.25	5	5	1116.84	66.15	66.15
4406	15.52	20.25	5	5	1108.91	66.15	66.15
4389	15.52	20.25	5	5	1098.32	66.15	66.15
4375	15.49	20.25	5	5	1085.12	66.15	66.15
4366	15.56	20.25	5	5	1079.84	66.15	66.15
4349	15.56	20.25	5	5	1071.91	66.15	66.15
4328	15.56	20.25	5	5	1069.26	66.15	66.15
4308	15.56	20.25	5	5	1063.98	66.15	66.15
4299	15.59	20.25	5	5	1058.71	66.15	66.15
4280	15.61	20.25	5	5	1056.05	66.15	66.15
4264	15.68	20.25	5	5	1053.44	66.15	66.15
4243	15.66	20.25	5	5	1050.78	66.15	66.15
4220	15.7	20.25	5	5	1050.74	66.15	66.15
4203	15.68	20.25	5	5	1045.51	66.15	66.15
4183	15.73	20.25	5	5	1045.51	66.15	66.15
4168	15.7	20.25	5	5	1042.85	66.15	66.15
4141	15.7	20.25	5	5	1042.85	66.15	66.15
4120	15.66	20.25	5	5	1040.23	66.15	66.15
4097	15.66	20.25	5	5	1040.23	66.15	66.15
4081	15.68	20.25	5	5	1037.58	66.15	66.15
4055	15.77	18.75	5	5	1037.58	66.15	66.15
4026	15.73	20.25	5	5	1037.58	66.15	66.15
4016	15.68	20.25	5	5	1037.58	66.15	66.15
4002	15.66	20.25	5	5	1034.92	66.15	66.15
3966	15.73	20.25	5	5	1034.92	66.15	66.15
3966	15.68	20.25	5	5	1034.92	66.15	66.15
3942	15.59	20.25	5	5	1034.92	66.15	66.15
3938	15.56	20.25	5	5	1032.3	66.15	66.15
3907	15.56	20.25	5	5	1032.3	66.15	66.15
3884	15.63	20.25	5	5	1032.3	66.15	66.15
3880	15.66	20.25	5	5	1032.3	66.15	66.15
3853	15.66	20.25	5	5	1032.3	66.15	66.15
3837	15.56	20.25	5	5	1032.3	66.15	66.15
3815	15.26	20.25	5	5	1032.3	66.15	66.15
3807	16.13	18.75	5	5	1032.3	66.15	66.15
3791	16.34	18.75	5	5	1032.27	66.15	66.15
3782	16.1	18.75	5	5	1029.65	66.15	66.15
3777	15.47	20.25	5	5	1029.65	66.15	66.15
3690	11.18	23.25	5	5	1029.65	66.15	66.15
3432	11.88	22.5	5	5	1029.65	66.15	66.15
3238	13.1	20.25	5	5	1029.65	66.15	66.15
3039	14.91	16.5	5	5	1026.99	66.15	66.15
2856	16.36	9	5	5	1024.38	66.15	66.15
2679	17.09	3	5	5	1021.72	66.15	66.15
2481	18.19	-0.75	5	5	1021.72	66.15	66.15
2412	19.1	-0.75	5	5	1019.1	66.15	66.15
2796	16.78	3	5	5	1016.45	66.15	66.15

3049	14.46	17.25	5	5	1016.45	66.15	66.15
3075	15.94	12	5	5	1016.45	66.15	66.15
3007	16.69	9	5	5	1013.79	66.15	66.15
2993	16.45	10.5	5	5	1013.79	66.15	66.15
2992	16.73	9	5	5	1013.79	66.15	66.15
2992	16.97	10.5	5	5	1013.79	66.15	66.15
2988	17.02	9	5	5	1013.79	66.15	66.15
2980	17.02	9	5	5	1013.79	66.15	66.15
2970	17.32	9	5	5	1013.75	66.15	66.15
2964	17.37	7.5	5	5	1011.17	66.15	66.15
2956	17.48	6.75	5	5	1011.17	66.15	66.15
2956	17.46	6.75	5	5	1011.17	66.15	66.15
2948	18.35	4.5	5	5	1011.17	66.15	66.15
2935	19.34	3	5	5	1011.17	66.15	66.15
2931	19.27	3	5	5	1011.17	66.15	66.15
2923	19.03	3	5	5	1011.17	66.15	66.15
2911	18.3	4.5	5	5	1011.17	66.15	66.15
2904	18.16	4.5	5	5	1011.17	66.15	66.15
2897	17.63	6	5	5	1011.17	66.15	66.15
2887	17.51	6	5	5	1011.17	66.15	66.15
2880	17.72	6	5	5	1011.17	66.15	66.15
2872	17.3	5.25	5	5	1011.17	66.15	66.15
2859	17.06	6.75	5	5	1008.52	66.15	66.15
2853	17.13	6.75	5	5	1008.52	66.15	66.15
2843	17.2	6.75	5	5	1008.52	66.15	66.15
2815	17.34	4.5	5	5	1008.52	66.15	66.15
2617	17.88	0.75	5	5	1008.52	66.15	66.15
2425	18.66	-0.75	5	5	1008.52	66.15	66.15
2240	19.38	-1.5	5	5	1005.86	66.15	66.15
2062	19.8	-3	5	5	1005.86	66.15	66.15
1884	19.76	-4.5	5	5	1005.86	66.15	66.15
1856	19.88	-5.25	5	5	1005.86	66.15	66.15
2072	18.26	-2.25	5	5	1005.86	66.15	66.15
2266	15.87	-0.75	5	5	1003.24	66.15	66.15
2294	15.59	-0.75	5	5	1003.24	66.15	66.15
2264	16.55	-1.5	5	5	1000.59	66.15	66.15
2255	17.41	-1.5	5	5	1000.59	66.15	66.15
2248	18.12	-1.5	5	5	1000.59	66.15	66.15
2244	18.38	-1.5	5	5	1000.59	66.15	66.15
2234	18.33	-1.5	5	5	1000.59	66.15	66.15
2239	18.45	-1.5	5	5	1000.59	66.15	66.15
2220	18.89	-1.5	5	5	1000.59	66.15	66.15
2229	18.87	-1.5	5	5	1000.59	66.15	66.15
2216	19.29	-1.5	5	5	1000.59	66.15	66.15
2213	19.41	-1.5	5	5	1000.59	66.15	66.15
2200	19.17	-1.5	5	5	1000.55	66.15	66.15
2195	18.94	-1.5	5	5	1000.55	66.15	66.15
2196	19.2	-1.5	5	5	997.97	66.15	66.15
2192	19.62	-2.25	5	5	997.97	66.15	66.15
2178	19.5	-2.25	5	5	997.97	66.15	66.15
2173	19.31	-1.5	5	5	997.97	66.15	66.15

101 Octane
10% E85%